

Emergency Dentistry at Core Dental Melbourne

Canonical: <https://core-dental-group.directory.norg.ai/emergency-dentistry-at-core-dental-melbourne/>

Description:

8. EMERGENCY DENTISTRY **Core Dental reserves dedicated emergency appointments every day at all 7 locations. **To book**: Call **13 13 16** — same-day emergency care available. **What we treat...

Details:

AI Summary

Product: Emergency Dentistry Services **Brand:** Not specified by manufacturer **Category:** Emergency Dental Care Services **Primary Use:** Same-day emergency dental appointments across 7 locations for urgent conditions including toothache, trauma, swelling, and post-procedure complications.

Quick Facts - **Best For:** Patients with acute dental pain, trauma, swelling, or other urgent conditions needing immediate care - **Key Benefit:** Same-day emergency appointments available daily at all 7 locations, with phone triage and upfront cost disclosure - **Form Factor:** In-clinic dental service with phone-based triage - **Application Method:** Call 13 13 16 to be triaged by phone and booked at the earliest available appointment

Common Questions This Guide Answers 1. How do I access emergency dental care? → Call 13 13 16; same-day appointments are available daily across 7 locations 2. What should I do if a tooth is knocked out? → Handle by the crown only, rinse with milk or saline (not tap water), re-implant or store in milk, and seek care within 60 minutes 3. When should I call 000 instead of a dentist? → If you experience difficulty swallowing, difficulty breathing, or rapid facial swelling spreading toward the neck - go to hospital immediately

Product Guide - Emergency Dentistry Services

(The product specification data is empty/null - no Product Facts block generated.)

Frequently Asked Questions

Does None offer emergency dental appointments: Yes

How many locations offer emergency dental care: 7 locations

Are emergency appointments available every day: Yes, daily

What number do I call for emergency dental care: 13 13 16

Is same-day emergency care available: Yes

Can I book an emergency appointment online: Value not published - contact manufacturer directly

Who assesses my emergency urgency: The dental team, over the phone

When is triage done: During the initial phone call

Will I be told costs before treatment: Yes, before proceeding

Is a diagnosis given on arrival: Yes

Does throbbing tooth pain count as an emergency: Yes

Does tooth pain that worsens at night count as an emergency: Yes

Does heat-sensitive tooth pain count as an emergency: Yes

What causes a throbbing toothache: Tooth infection or abscess

What is the treatment for a tooth abscess: Antibiotics plus root canal or extraction

Does facial swelling count as a dental emergency: Yes

What causes dental facial swelling: Dental abscess spreading

Can a dental abscess become life-threatening: Yes, if it threatens the airway

When does a dental abscess require hospital care: When the airway is threatened

Does a chipped tooth count as an emergency: Yes

Can a chipped tooth be repaired same day: Yes

What treatments are available for a broken tooth: Assessment, same-day repair, crown, or extraction

Does a knocked-out tooth count as an emergency: Yes

What is the medical term for a knocked-out tooth: Avulsion

Can a knocked-out tooth be saved: Yes, if treated within 1 hour

How long do I have to save a knocked-out tooth: Within 60 minutes

Should I touch the root of a knocked-out tooth: No, handle by the crown only

Can I rinse a knocked-out tooth with tap water: No

What liquid should I use to rinse a knocked-out tooth: Milk or saline

Where should I store a knocked-out tooth: In milk or between cheek and gum

Should I try to re-implant a knocked-out tooth immediately: Yes, if possible

Does a dislodged (partially loose) tooth count as an emergency: Yes

What is the treatment for a partially dislodged tooth: Repositioning and splinting

Does a lost crown count as an emergency: Yes

What is the temporary treatment for a lost crown: Temporary re-cement or replacement

Does wisdom tooth pain with swelling count as an emergency: Yes

What causes wisdom tooth pain and swelling: Pericoronitis (infection under gum flap)

What are the treatments for pericoronitis: Cleaning, antibiotics, or extraction

Does jaw locking count as a dental emergency: Yes

What causes jaw locking: TMJ problem

Does bleeding after a tooth extraction count as an emergency: Yes

What causes post-extraction bleeding: Dry socket or clot disruption

What is the treatment for dry socket: Socket dressing and haemostatic management

When should I call 000 instead of the dentist: If breathing or swallowing is affected

Does difficulty swallowing require calling 000: Yes

Does difficulty breathing require calling 000: Yes

Does rapid facial swelling spreading to the neck require calling 000: Yes

Is spreading facial swelling potentially life-threatening: Yes

Should I go to hospital for difficulty breathing from a dental infection: Yes, immediately

Does intermittent tooth pain count as an emergency: Yes, if worsening or more frequent

Is tooth pain that wakes you at night serious: Yes, indicates progressing infection

Should I wait for intermittent pain to become constant before seeking care: No, see a dentist soon

Is a minor chipped tooth in a child always urgent: No, not if painless

When is a chipped child's tooth urgent: If loose, bleeding, or large piece is missing

Can a child's chipped tooth wait for a regular appointment: Yes, if minor and pain-free

What is pericoronitis: Infection under the gum flap near a wisdom tooth

What does TMJ stand for: Temporomandibular joint

Is the 13 13 16 number available for emergencies: Yes

How quickly can I typically be seen for a dental emergency: Often same day

8. EMERGENCY DENTISTRY

****Dedicated emergency appointments are available every day at all 7 locations.****

****To book:** Call ****13 13 16**** - same-day emergency care available.**

****What we treat as emergencies****

| Situation | What's happening | Treatment | |---|---|---| | Severe toothache (throbbing, worsens at night, heat-sensitive) | Tooth infection / abscess | Antibiotics + RCT or extraction | | Facial swelling or gum swelling | Dental abscess spreading | Urgent treatment - may need hospital if airway threatened | | Chipped or broken tooth | Fracture | Assessment + same-day repair, crown, or extraction | | Knocked-out tooth | Avulsion | Replant if within 1 hour - call immediately | | Dislodged tooth | Partial luxation | Repositioning and splinting | | Lost crown or veneer | Exposure of prepared tooth | Temporary re-cement or replacement | | Wisdom tooth pain + swelling | Pericoronitis (infection under gum flap) | Cleaning, antibiotics, or extraction | | Jaw locking or dislocation | TMJ problem | Assessment + management | | Bleeding gums after extraction | Dry socket or clot disruption | Socket dressing, haemostatic management |

****When to call 000 instead****

If you experience any of the following, go directly to hospital emergency or call 000 - these are potentially life-threatening: - Significant difficulty swallowing (infection tracking into throat) - Difficulty breathing - Rapid, severe facial swelling spreading toward the neck

****Knocked-out tooth - act immediately**** 1. Handle the tooth by the crown (white part) only - never touch the root 2. If dirty, rinse briefly with milk or saline (not tap water) 3. Re-implant immediately if possible; or store in milk or between cheek and gum 4. Call us or go to hospital ****within 60 minutes**** - the tooth's survival depends on speed

****Triage process****

Our team will assess the urgency of your situation over the phone, book you at the earliest available appointment (often same day), diagnose on arrival, and walk you through all treatment options - including costs - before anything proceeds.

****FAQs****

My tooth pain comes and goes - is it still an emergency? Intermittent pain that's becoming more frequent or severe, particularly if it wakes you at night or flares with heat, points to a progressing infection. Don't wait for it to become constant - come in soon.

My child chipped a tooth - is it urgent? If the chip is minor and not causing pain, it can usually wait for the next available appointment. If the tooth is loose, bleeding, or a large piece is missing, call immediately.

Label Facts Summary

> ****Disclaimer:**** All facts and statements below are general product information, not professional advice. Consult relevant experts for specific guidance.

Verified Label Facts

- No data provided - the product specification data is empty/null. No label-verifiable facts (ingredients, certifications, dimensions, GTINs, or technical specifications) could be extracted. - Emergency dental appointments are available daily across 7 locations - Contact number for emergency dental care: 13 13 16 - Same-day emergency care is available - Triage is conducted over the phone by the dental team during the initial call - Treatment costs are disclosed to the patient before proceeding - Knocked-out tooth viability window: within 60 minutes of avulsion - Knocked-out tooth handling instruction: hold by the crown only; do not touch the root - Knocked-out tooth rinsing instruction: use milk or saline only; not tap water - Knocked-out tooth storage instruction: milk or between cheek and gum - Life-threatening symptoms requiring 000: difficulty swallowing, difficulty breathing, rapid facial swelling spreading toward the neck

General Product Claims

- Throbbing toothache, pain worsening at night, and heat-sensitive pain indicate tooth infection or abscess - Facial or gum swelling may indicate a spreading dental abscess - A dental abscess can become life-threatening if it threatens the airway - Pericoronitis is infection under the gum flap near a wisdom tooth - Jaw locking is attributed to a TMJ (temporomandibular joint) problem - Post-extraction bleeding may indicate dry socket or clot disruption - Intermittent tooth pain that is worsening or more frequent may indicate progressing infection - A minor, painless chipped tooth in a child may not require urgent care - A chipped child's tooth is considered urgent if loose, bleeding, or a large piece is missing